

兔抗 ANGPT4 多克隆抗体

| | |
|-------|--|
| 中文名称: | 兔抗 ANGPT4 多克隆抗体 |
| 英文名称: | Anti-ANGPT4 rabbit polyclonal antibody |
| 别名: | AGP4; ANG4; ANG-3 |
| 相关类别: | 一抗 |
| 储存: | 冷冻 (-20℃) |
| 宿主: | Rabbit |
| 抗原: | ANGPT4 |
| 反应种属: | Human |
| 标记物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|--------------------------|--|
| Background: | Angiopoietins are proteins with important roles in vascular development and angiogenesis. All angiopoietins bind with similar affinity to an endothelial cell-specific tyrosine-protein kinase receptor. The mechanism by which they contribute to angiogenesis is thought to involve regulation of endothelial cell interactions with supporting perivascular cells. The protein encoded by this gene functions as an agonist and is an angiopoietin. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ANGPT4 |
| Immunogen: | Synthetic peptide of human ANGPT4 |
| Full name: | angiopoietin 4 |
| Synonyms : | AGP4; ANG4; ANG-3 |

| | |
|------------------------------------|--|
| SwissProt: | Q9Y264 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human liver cancer and Human colon cancer |
| IHC Recommend dilution: | 100-300 |
| WB Predicted band size: | 57 kDa |
| WB Positive control: | Human right lung and left lung cancer tissue |
| WB Recommended dilution: | 200-1000 |



