

## 兔抗 APOBR 多克隆抗体

|       |  |
|-------|--|
| 中文名称: | 兔抗 APOBR 多克隆抗体                               |
| 英文名称: | Anti-APOBR rabbit polyclonal antibody        |
| 别名:   | apolipoprotein B receptor; APOB48R; APOB100R |
| 相关类别: | 一抗   |
| 抗原:   | APOBR  |
| 储存:   | 冷冻 (-20℃)                                    |
| 宿主:   | Rabbit                                       |
| 反应种属: | Human  |
| 标记物:  | Unconjugate                                  |
| 克隆类型: | rabbit polyclonal                            |

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | Apolipoprotein B48 receptor is a macrophage receptor that binds to the apolipoprotein B48 of dietary triglyceride (TG)-rich lipoproteins. This receptor may provide essential lipids, lipid-soluble vitamins and other nutrients to reticuloendothelial cells. If overwhelmed with elevated plasma triglyceride, the apolipoprotein B48 receptor may contribute to foam cell formation, endothelial dysfunction, and atherothrombogenesis. |
| <b>Applications:</b>     | ELISA, IHC   |
| <b>Name of antibody:</b> | APOBR  |
| <b>Immunogen:</b>        | Synthetic peptide of human APOBR   |
| <b>Full name:</b>        | apolipoprotein B receptor  |

|                                    |   |
|------------------------------------|---|
| <b>Synonyms:</b>                   | APOB48R; APOB100R                       |
| <b>SwissProt:</b>                  | Q0VD83                                  |
| <b>ELISA Recommended dilution:</b> | 500-1000                                |
| <b>IHC positive control:</b>       | Human colorectal cancer and Human brain |
| <b>IHC Recommend dilution:</b>     | 25-50                                   |



