

兔抗 ASAH2 多克隆抗体

中文名称：兔抗 ASAH2 多克隆抗体

英文名称： Anti-ASAH2 rabbit polyclonal antibody

别名： HNAC1; BCDase; LCDase; NCDase; N-CDase

相关类别： 一抗

抗原： ASAH2

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	Ceramidases (EC 3.5.1.23), such as ASAH2, catalyze hydrolysis of the N-acyl linkage of ceramide, a second messenger in a variety of cellular events, to produce sphingosine. Sphingosine exerts both mitogenic and apoptosis-inducing activities, and its phosphorylated form functions as an intra- and intercellular second messenger.
Applications:	ELISA, WB, IHC
Name of antibody:	ASAH2
Immunogen:	Fusion protein of human ASAH2
Full name:	N-acylsphingosine amidohydrolase (non-lysosomal ceramidase) 2
Synonyms :	HNAC1; BCDase; LCDase; NCDase; N-CDase

SwissProt:	Q9NR71
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human lung cancer and human colon cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	86 kDa
WB Positive control:	Human fetal kidney tissue and 293T cells
WB Recommended dilution:	200-1000



