

兔抗 UBB 多克隆抗体

中文名称: 兔抗 UBB 多克隆抗体

英文名称: Anti-UBB rabbit polyclonal antibody

别 名: FLJ25987, MGC8385

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: UBB

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:


ed proteins known. Ubiquitin is required for ATP-dep endent, nonlysosomal intracellular protein degradation of abnormal proteins and normal proteins with a rapi d turnover. Ubiquitin is covalently bound to proteins to be degraded, and presumably labels these proteins for degradation. Ubiquitin also binds to histone H2A in actively transcribed regions but does not cause hist one H2A degradation, suggesting that ubiquitin is also involved in regulation of gene expression. This gene consists of three direct repeats of the ubiquitin coding sequence with no spacer sequence. Consequently, the protein is expressed as a polyubiquitin precursor with a final amino acid after the last repeat. Aberrant

This gene encodes ubiquitin, one of the most conserv



全国订货电话 4008-723-722

	form of this protein has been noticed in patients wit h Alzheimer's and Down syndrome.
Applications:	ELISA, WB, IHC
Name of antibody:	UBB
Immunogen:	Fusion protein of human UBB
Full name:	Polyubiquitin-B
Synonyms:	FLJ25987, MGC8385
SwissProt:	P0CG47
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	26 kDa
WB Positive control:	Hela cells and mouse liver tissue
WB Recommended dilution:	200-1000





全国订货电话 4008-723-722

