

兔抗 UBE2M 多克隆抗体

中文名称：兔抗 UBE2M 多克隆抗体

英文名称： Anti-UBE2M rabbit polyclonal antibody

别名： UBC12; hUbc12; UBC-RS2

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： UBE2M

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. The encoded protein is linked with a ubiquitin-like protein, NEDD8, which can be conjugated to cellular proteins, such as Cdc53/culin.
Applications:	ELISA, WB, IHC
Name of antibody:	UBE2M
Immunogen:	Fusion protein of human UBE2M
Full name:	ubiquitin conjugating enzyme E2 M

Synonyms:	UBC12; hUbc12; UBC-RS2
SwissProt:	P61081
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	21 kDa
WB Positive control:	Hela, Raji, LO2 cell lysates
WB Recommended dilution:	500-2000



