

## 兔抗 HSD17B10 多克隆抗体

中文名称：兔抗 HSD17B10 多克隆抗体

英文名称：Anti-HSD17B10 rabbit polyclonal antibody

别名：ABAD; CAMR; ERAB; HCD2; MHBD; HADH2; MRPP2; MRX17; MRX31; SCHAD; MRXS10; SDR5C1; 17b-HSD10; DUPXp11.22

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：HSD17B10

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

<b>Background:</b>	This gene encodes 3-hydroxyacyl-CoA dehydrogenase type II, a member of the short-chain dehydrogenase/reductase super family. The gene product is a mitochondrial protein that catalyzes the oxidation of a wide variety of fatty acids and steroids, and is a subunit of mitochondrial ribonuclease P, which is involved in tRNA maturation. The protein has been implicated in the development of Alzheimer disease, and mutations in the gene are the cause of 17beta-hydroxysteroid dehydrogenase type 10 (HSD10) deficiency.
<b>Applications:</b>	ELISA, WB
<b>Name of antibody:</b>	HSD17B10
<b>Immunogen:</b>	Synthetic peptide of human HSD17B10
<b>Full name:</b>	hydroxysteroid (17-beta) dehydrogenase 10

<b>Synonyms :</b>	ABAD; CAMR; ERAB; HCD2; MHBD; HADH2; MRPP2; MRX17; MRX31; SCHAD; MRXS10; SDR5C1; 17b-HSD10; DUPXp11.22
<b>SwissProt:</b>	Q99714
<b>ELISA Recommended dilution:</b>	2000-5000
<b>WB Predicted band size:</b>	27 kDa
<b>WB Positive control:</b>	HUVEC , HepG2 , Hela , K562 , 293T and Jurkat cell
<b>WB Recommended dilution :</b>	200-1000



