

小鼠抗 RFC3 单克隆抗体

中文名称:	小鼠抗 RFC3 单克隆抗体
英文名称:	Anti-RFC3 mouse monoclonal antibody
别名:	replication factor C subunit 3; RFC38
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Mouse
抗原:	RFC3
反应种属:	Human
标记物:	Unconjugate
克隆类型:	mouse monoclonal

技术规格

Background:	The elongation of primed DNA templates by DNA polymerase delta and DNA polymerase epsilon requires the accessory proteins proliferating cell nuclear antigen (PCNA) and replication factor C (RFC). RFC, also named activator 1, is a protein complex consisting of five distinct subunits of 140, 40, 38, 37, and 36 kDa. This gene encodes the 38 kDa subunit. This subunit is essential for the interaction between the 140 kDa subunit and the core complex that consists of the 36, 37, and 40 kDa subunits. Alternatively spliced transcript variants encoding distinct isoforms have been described.
Applications:	WB
Name of antibody:	RFC3

Immunogen:	Fusion protein of human RFC3
Full name:	replication factor C subunit 3
Synonyms:	RFC38
SwissProt:	P40938
WB Predicted band size:	41 KD
WB Positive control:	CEM, 293T, Hela, HepG2 cell lysates
WB Recommended dilution:	500-2000