

## 小鼠抗 PECAM1 单克隆抗体

中文名称:	小鼠抗 PECAM1 单克隆抗体
英文名称:	Anti-PECAM1 mouse monoclonal antibody
别名:	CD31; CD31/EndoCAM; endoCAM; GPIIA ; PECA1; PECAM-1
储存:	冷冻 (-20℃) 避光
抗原:	PECAM1
宿主:	Mouse
反应种属:	Human
标记物:	Unconjugate
相关类别:	一抗
克隆类型:	mouse monoclonal

### 技术规格

<b>Background:</b>	The protein encoded by this gene is found on the surface of platelets, monocytes, neutrophils, and some types of T-cells, and makes up a large portion of endothelial cell intercellular junctions. The encoded protein is a member of the immunoglobulin superfamily and is likely involved in leukocyte migration, angiogenesis, and integrin activation. [provided by RefSeq].
<b>Applications:</b>	WB, IHC, IF, FC
<b>Name of antibody:</b>	PECAM1
<b>Immunogen:</b>	Fusion protein of human PECAM1
<b>Full name:</b>	platelet/endothelial cell adhesion molecule 1 (PECAM1)
<b>Synonyms:</b>	CD31; CD31/EndoCAM; endoCAM; GPIIA ; PECA1; PECAM-1
<b>SwissProt:</b>	P16284

IHC positive control:	human pancreas tissue
IHC Recommend dilution:	30-150
WB Predicted band size:	83 kDa
WB Positive control:	Jurkat and PC3 cell lysates
WB Recommended dilution:	500-2000



