

兔抗 CYP11B2 多克隆抗体

中文名称：兔抗 CYP11B2 多克隆抗体

英文名称：Anti-CYP11B2 rabbit polyclonal antibody

别名：CPN2; ALDOS; CYP11B; CYP11BL; CYPXIB2; P450C18; P-450C18; P450aldo

相关类别：一抗

抗原：CYP11B2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the mitochondrial inner membrane. The enzyme has steroid 18-hydroxylase activity to synthesize aldosterone and 18-oxocortisol as well as steroid 11 beta-hydroxylase activity. Mutations in this gene cause corticosterone methyl oxidase deficiency.
Applications:	ELISA, WB, IHC
Name of antibody:	CYP11B2
Immunogen:	Synthetic peptide of human CYP11B2

Full name:	cytochrome P450 family 11 subfamily B member 2
Synonyms:	CPN2; ALDOS; CYP11B; CYP11BL; CYPXIB2; P450C18; P-450C18; P450aldo
SwissProt:	P19099
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	50-300
WB Predicted band size:	58 kDa
WB Positive control:	HEPG2 cell lysate
WB Recommended dilution:	500-200



