

# 兔抗 MERTK/TYRO3(Phospho-Tyr749/681) 多克隆抗体

- 中文名称: 兔抗 MERTK/TYRO3(Phospho-Tyr749/681) 多克隆抗体
- 英文名称: Anti-MERTK/TYRO3(Phospho-Tyr749/681) rabbit polyclonal antibody
- 别名: MER; RP38; c-mer/BYK; Dtk; RSE; Sky; Tif
- 相关类别: 一抗
- 储存: 冷冻 (-20℃) 避光
- 宿主: Rabbit
- 抗原: MERTK/TYRO3(Phospho-Tyr749/681)
- 反应种属: Human Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

<b>Background:</b>	This gene is a member of the MER/AXL/TYRO3 receptor kinase family and encodes a transmembrane protein with two fibronectin type-III domains, two Ig-like C2-type (immunoglobulin-like) domains, and one tyrosine kinase domain. Mutations in this gene have been associated with disruption of the retinal pigment epithelium (RPE) phagocytosis pathway and onset of autosomal recessive retinitis pigmentosa (RP).
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	MERTK/TYRO3(Phospho-Tyr749/681)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of tyrosine 7

	49/681(K-I-Y(p)-S-G) derived from Human MER/SKY .
<b>Full name:</b>	MER proto-oncogene, tyrosine kinase/TYRO3 protein tyrosin e kinase
<b>Synonyms :</b>	MER; RP38; c-mer/BYK; Dtk; RSE; Sky; Tif
<b>SwissProt:</b>	Q12866/Q06418
<b>IHC positive control:</b>	Human brain tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	110/97 kDa
<b>WB Positive control:</b>	NIH/3T3 cells lysates treated with EGF
<b>WB Recommended dilution:</b>	500-1000



