

## 兔抗 UBE2N 多克隆抗体

中文名称:	兔抗 UBE2N 多克隆抗体
英文名称:	Anti-UBE2N rabbit polyclonal antibody
别名:	ubiquitin conjugating enzyme E2 N; UBC13; UbcH13; HEL-S-71; UbcH-ben; UBCHBEN; UBC13
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	UBE2N
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. Studies in mouse suggest that this protein plays a role in DNA postreplication repair.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	UBE2N
<b>Immunogen:</b>	Synthetic peptide of human UBE2N

<b>Full name:</b>	ubiquitin conjugating enzyme E2 N
<b>Synonyms:</b>	UBC13; UbcH13; HEL-S-71; UbcH-ben; UBCHBEN; UBC13
<b>SwissProt:</b>	P61088
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human liver cancer and Human ovarian cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	17 kDa
<b>WB Positive control:</b>	Mouse brain tissue, Hela cell, LNCAP cell, HepG2 cell, Jurkat cell lysates
<b>WB Recommended dilution:</b>	500-2000





