

兔抗 SAV1 多克隆抗体

中文名称：兔抗 SAV1 多克隆抗体

英文名称： Anti-SAV1 rabbit polyclonal antibody

别名： salvador family WW domain containing protein 1; SAV; WW45; WWP4

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SAV1

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:

WW domain-containing proteins are found in all eukaryotes and play an important role in the regulation of a wide variety of cellular functions such as protein degradation, transcription, and RNA splicing. This gene encodes a protein with two WW domains, a SARAH domain, and a coiled-coil region and is ubiquitously expressed in adult tissues. This protein binds to MST1 (mammalian sterile 20-like kinase 1) and promotes MST1-induced apoptosis. It has also been shown to bind to HAX1 (hematopoietic cell-specific protein 1 (HS1)-associated protein X-1) and to attenuate the anti-apoptotic effects of HAX1. Studies in human and mouse suggest this gene acts as a tumor suppressor.

Applications:	ELISA, WB, IHC
Name of antibody:	SAV1
Immunogen:	Fusion protein of human SAV1
Full name:	salvador family WW domain containing protein 1
Synonyms:	SAV; WW45; WWP4
SwissProt:	Q9H4B6
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain and Human gastric cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	45 kDa
WB Positive control:	HUVEC, PC-3 cell lysates
WB Recommended dilution:	500-2000



