

兔抗 PCLAF 多克隆抗体

中文名称：兔抗 PCLAF 多克隆抗体

英文名称：Anti-PCLAF rabbit polyclonal antibody

别名：PCNA clamp associated factor; L5; PAF; OEATC; PAF15; OEATC1; p15PAF; NS5ATP9; OEATC-1; p15/PAF; KIAA0101; p15(PAF)

相关类别：一抗

储存：冷冻 (-20℃)

宿主：Rabbit

抗原：PCLAF

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	PCNA-binding protein that acts as a regulator of DNA repair during DNA replication. Following DNA damage, the interaction with PCNA is disrupted, facilitating the interaction between monoubiquitinated PCNA and the translesion DNA synthesis DNA polymerase eta (POLH) at stalled replication forks, facilitating the bypass of replication-fork-blocking lesions. Also acts as a regulator of centrosome number.
Applications:	ELISA, IHC
Name of antibody:	PCLAF
Immunogen:	Fusion protein of human PCLAF
Full name:	PCNA clamp associated factor

Synonyms:	L5; PAF; OEATC; PAF15; OEATC1; p15PAF; NS5ATP9; OEATC-1; p15/PAF; KIAA0101; p15(PAF)
SwissProt:	Q15004
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	40-200

