

兔抗 STRAP 多克隆抗体

中文名称: 兔抗 STRAP 多克隆抗体

英文名称: Anti-STRAP rabbit polyclonal antibody

别 名: MAWD; PT-WD; UNRIP

储 存:冷冻(-20℃)

宿 主: Rabbit

抗 原: STRAP

相关类别: 一抗

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Serine-threonine kinase receptor-associated protein is an enzyme that in humans is encoded by the STR APgene. The SMN complex plays a catalyst role in the assembly of small nuclear ribonucleoproteins (sn RNPs), the building blocks of the spliceosome. There by, plays an important role in the splicing of cellular pre-mRNAs. Most spliceosomal snRNPs contain a common set of Sm proteins SNRPB, SNRPD1, SNRPD2, SNRPD3, SNRPE, SNRPF and SNRPG that assemble in a heptameric protein ring on the Sm site of the small nuclear RNA to form the core snRNP.



Applications:	ELISA, IHC
Name of antibody:	STRAP
Immunogen:	Full length fusion protein
Full name:	serine/threonine kinase receptor associated protein
Synonyms:	MAWD; PT-WD; UNRIP
SwissProt:	Q9Y3F4
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	20-100







