

兔抗 TRAF4 多克隆抗体

- 中文名称：兔抗 TRAF4 多克隆抗体
- 英文名称：Anti-TRAF4 rabbit polyclonal antibody
- 别名：TNF receptor associated factor 4 CART1; MLN62; RNF83
- 抗原：TRAF4
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the TNF receptor associated factor (TRAF) family. TRAF proteins are associated with, and mediate signal transduction from members of the TNF receptor superfamily. The encoded protein has been shown to interact with neurotrophin receptor, p75 (NTR/NTSR1), and negatively regulate NTR induced cell death and NF-kappa B activation. This protein has been found to bind to p47phox, a cytosolic regulatory factor included in a multi-protein complex known as NAD(P)H oxidase. This protein thus, is thought to be involved in the oxidative activation of MAPK8/JNK. Alternatively spliced transcript variants have been observed but the full-len

	gth nature of only one has been determined.
Applications:	ELISA, IHC
Name of antibody:	TRAF4
Immunogen:	Fusion protein of human TRAF4
Full name:	TNF receptor associated factor 4
Synonyms:	CART1; MLN62; RNF83
SwissProt:	Q9BUZ4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human esophagus cancer
IHC Recommend dilution:	25-100



